# 

CSM\_G2R-\_-S\_(S)\_DS\_E\_2\_7

### Slim and Space-saving Power Plug-in Relay

- Reduces wiring work by 60% when combined with the P2RF-□-PU Push-In Plus Socket (according to actual OMRON measurements).
- Lockable test button models available.
- Built-in mechanical operation indicator.
- Provided with nameplate.
- AC type is equipped with a coil-disconnection self-diagnostic function (LED type).
- High switching power (1-pole: 10 A).



For the most recent information on models that have been certified for safety standards, refer to your OMRON website.

#### **Model Number Structure**

#### **Model Number Legend**

 $G2R - \frac{\square}{1} - \frac{S}{2} \quad \frac{\square}{3} \quad \frac{\square}{4} \quad \frac{(S)}{5}$ 

- 1. Number of Poles
  - 1: 1 pole 2: 2 poles
- 2. Terminals
- S: Plug-in
- 3. Classification
  - Blank: General-purpose N: LED indicator D: Diode
  - ND: LED indicator and diode NI: LED indicator with test button
  - NDI: LED indicator and diode with test button

4. Rated Coil Voltage

- 5. Mechanical operation indicator and Nameplate
  - (S): Models with mechanical operation indicator and Nameplate

Note: Contact your OMRON representative for Relays with gold-plated contacts.

## Ordering Information When your order, specify the rated voltage.

#### **List of Models**

Classification	Call ratings	Contact form			
	Coil ratings	SPDT	DPDT		
General-purpose		G2R-1-S (S)	G2R-2-S (S)		
LED indicator	AC 24, 48, 110, 120, 230, 240 DC 6, 12, 24, 48	G2R-1-SN (S)	G2R-2-SN (S)		
LED indicator with test button		G2R-1-SNI (S)	G2R-2-SNI (S)		
Diode		G2R-1-SD (S)	G2R-2-SD (S)		
LED indicator and diode	DC 6, 12, 24, 48	G2R-1-SND (S)	G2R-2-SND (S)		
LED indicator and diode with test button		G2R-1-SNDI (S)	G2R-2-SNDI (S)		

<sup>Note: 1. The standard models are compliant with UL/CSA and VDE standards. Also, an EC compliance declaration has been made for combinations with the P2RF-□-E, P2RF-□-S and P2RF-□-PU. The Relays bear the CE Marking.
2. Refer to Connecting Sockets, below, for applicable Socket models.</sup> 

<sup>3.</sup> When ordering, add the rated coil voltage and "(S)" to the model number. Rated coil voltages are given in the coil ratings table. Example: G2R-1-S 12 VDC (S)

Rated coil voltage

#### **Accessories (Order Separately)**

#### **Connecting Sockets**

#### Track/surface-mounting Socket

Applicable relay model*1	Mounting Method	Conductive part protection	Terminal Type	Applicable crimp terminal/ Electric wire	Exclusive short bar (Order Separately)	Appearance	Model
		Available	Push-In Plus Terminal	Ferrules Solid wire Stranded wire	Available		P2RF-05-PU *2
G2R-1-S	Mounted on a DIN track or with screws	OIN track or vith screws  Option (Terminal cover	Screw terminal (M3 screw size)	Forked terminals Solid wire Stranded wire	Available		P2RFZ-05-E *4
			Screw terminal (M3.5 screw size)	Round terminals Forked terminals Solid wire Stranded wire	Available		P2RFZ-05
	Mounted on a DIN track or with screws	Available	Push-In Plus Terminal	Ferrules Solid wire Stranded wire	Available		P2RF-08-PU *2
G2R-2-S		Available	Screw terminal (M3 screw size)	Forked terminals Solid wire Stranded wire	Available		P2RFZ-08-E *4
		Option (Terminal cover sold separately) *3	Screw terminal (M3.5 screw size)	Round terminals Forked terminals Solid wire Stranded wire	Available		P2RFZ-08

<sup>\*1.</sup> The applicable relay model is a plug-in terminal type.

 $<sup>^*</sup>$ 2. There are screw mounting holes in the DIN hooks on the P2RF- $\square\square$ -PU. Pull out the DIN hook tabs to mount the Sockets with screws.

<sup>\*3.</sup> Terminal cover type is P2CZ-Z. (Order Separately) For details, refer to the on page 6.

<sup>\*4.</sup> The finger-protection type (P2RFZ-□□-E) is a type in which the terminal cover is integrated into the socket. Round terminals cannot be used. Use forked terminals or ferrules instead.

#### **Back-mounting Socket**

Applicable Relay model	Mounting Method	Appearance	Models
	PCB terminals		P2R-05P
G2R-1-S	PCB terminals		P2R-057P
	Solder terminals		P2R-05A
	PCB terminals		P2R-08P
G2R-2-S	PCB terminals		P2R-087P
	Solder terminals		P2R-08A

#### For Push-In Plus Terminal Block Sockets

#### **Short Bars**

Applicable sockets	Pitch	Application	Shape/external dimensions	Number of poles	L (Length)	Insulation color	Short Bars Model*1	Maximum carry current
			3.90	2	15.1		PYDN-7.75-020□	
	7.75	Bridging contact		3	22.85		PYDN-7.75-030	
	7.75 mm	terminals (common)	12 18.5	4	30.6		PYDN-7.75-040	
P2RF-05-PU			2.25 1.57	20	154.6	Red (R) Blue (S)	PYDN-7.75-200□	20 A
P2RF-08-PU	15.5 mm	For Coil terminals	3.90 115.85 12 18.5 1.57	8	115.55	Yellow(Y)	PYDN-15.5-080□	2071

<sup>\*1.</sup> Replace the box ( $\square$ ) in the model number with the code for the covering color.  $\square$ Color selection: R = Red, S = Blue, Y = Yellow

#### Labels

Applicable sockets	Model
P2RF-05-PU	XW5Z-P4.0LB1
P2RF-08-PU	(1 sheet/60 pieces)

#### **For Screw Terminal Sockets**


#### **Short Bars**

Applicable sockets	Pitch	Appearance	Dimensions (mm)	Number of poles	Insulation color	Short Bars Model	Maximum carry current	Minimum order (set)
P2RFZ-05-E P2RFZ-08-E	6.8 mm		15.7==1 6.8==1 2.9	P2DN-6.8-100S Blue(S)		20 A	1	
	15.7 mm	-	2.9 15.7 · · · · · · · · · · · · · · · · · · ·	10		P2DN-15.7-100S		
P2RFZ-05 P2RFZ-08			8.5 ± 0.1 3.4 10.7 3.4 10.7 10.	20	Blue(S)	P2DN-8.5-100S	20 A	1
	19.4 mm	KKKKKKKKK	3.4 19.4 at 10.7 at 10.7 at 16.2 max.	10		P2DN-19.4-100S		

- Note: 1. Select an applicable type of short bars by checking applicable socket type, appearance, and dimensions.

  2. Use the Short Bars for crossover wiring within one Socket or between Sockets.

  - 3. Use the short bars on the lower section of the socket. When using the short bars on the upper section of the socket, insert them so that their heads are pointed upwards (see the figure below). Otherwise, short bars may interfere with the socket, leading to improper wiring and contact failure.



<sup>\*</sup> One set (order unit) contains 10 short bars and 20 caps.

#### **Accessories for Short Bars (P2DN)** Cap

Short Bars Models	Appearance	Dimensions (mm)	Model
P2DN-8.5-100S P2DN-19.4-100S P2DN-6.8-100S P2DN-15.7-100S		4 max.	P2DN-CP100


#### For Screw Terminal Sockets (P2RFZ-05/P2RFZ-08)

#### **Terminal covers**

Applicable sockets	Appearance	Model	Minimum order (set)
P2RFZ-05 P2RFZ-08		P2CZ-C	

Note: 1. Use these covers in a combination with P2RFZ-05 and P2RFZ-08.


2. Do not install short bars (optional) on the upper section (see the figure below). Short bars may interfere with the terminal cover, making the terminal cover unusable.



#### **Dimensions with terminal cover**

#### **P2RFZ-05**








P2RFZ-08





#### Labels

Applicable sockets	Model	Minimum order (sheet) (quantity per sheet)
P2RFZ-□-E	XW5Z-P2.5LB1	5 1 sheet (72 pieces)

**Note:** This label cannot be applied on sockets other than P2RFZ- $\square$ -E.

#### **Mounting Tracks**

Applicable Socket	Des	scription	Model	Minimum order (quantity)
		50 cm (I) $\times$ 7.3 mm (t):	PFP-50N	
	Mounting track	1 m (l) × 7.3 mm (t):	PFP-100N	
Track-connecting Socket		1 m (l) × 16 mm (t):	PFP-100N2	
	End plate *1		PFP-M	40
	Spacer		PFP-S	10
Back-connecting Socket	Mounting plate *2		P2R-P	1

<sup>\*1.</sup> When mounting DIN rail, please use End Plate (PFP-M).

<sup>\*2.</sup> Used to mount several P2R-05A and P2R-08A Connecting Sockets side by side.

## **Specifications**

#### **Coil Ratings**

Rated voltage		Rated current*		Coil resistance		ctance (H) value)	Must operate voltage	Must release voltage	Max. voltage	Power consumption		
		50 Hz	60 Hz	resistance	Armature OFF	Armature ON	% of rated voltage		(approx.)			
	24 V	43.5 mA	37.4 mA	253 Ω	0.81	1.55	- 80% max.	80% max.				
	48 V	21.8 mA	18.8 mA	1,040 Ω	3.12	6.17			- 80% max. 30% max.	20% may		
4.0	110 V	9.5 mA	8.2 mA	5,566 Ω	13.33	26.83					110%	0.0.1/4 -1.00.11-
AC	120 V	8.6 mA	7.5 mA	7,286 Ω	16.13	32.46				30% max.	110%	0.9 VA at 60 Hz
	230 V	4.4 mA	3.8 mA	27,172 Ω	72.68	143.90						
	240 V	4.2 mA	3.7 mA	27,800 Ω	90.58	182.34						

Rated voltage		Rated current*	Coil resistance		ctance (H) value)	Must operate voltage	Must release voltage	Max. voltage	Power consumption		
		resistand		Armature OFF	Armature ON	% of rated voltage			(approx.)		
	6 V	87.0 mA	69 Ω	0.25	0.48	- 70% max. 15% r					
DC	12 V	43.2 mA	278 Ω	0.98	2.35		159/ min	110%	0.53 W		
ЪС	24 V	21.6 mA	1,113 Ω	3.60	8.25		70% IIIax. 13% IIIII. 11	11076	0.55 W		
	48 V	11.4 mA	4,220 Ω	15.2	29.82						

- Note: 1. The rated current and coil resistance are measured at a coil temperature of 23°C with tolerances of +15%/-20% for the AC rated current and ±10% for the DC coil resistance.
  - 2. The AC coil resistance and inductance values are reference values only (at 60 Hz).
  - 3. Operating characteristics were measured at a coil temperature of 23°C.
  - **4.** The maximum voltage is the maximum possible value of the voltage that can be applied to the relay coil. It is not the maximum voltage that can be applied continuously.

#### **Contact Ratings**

Number of poles	1 pole		2 poles		
Load			Resistive load (cosφ = 1)	Inductive load (cosφ = 0.4; L/R = 7 ms)	
Rated load	10 A at 250 VAC; 10 A at 30 VDC	7.5 A at 250 VAC; 5 A at 30 VDC	5 A at 250 VAC; 5 A at 30 VDC	2 A at 250 VAC; 3 A at 30 VDC	
Rated carry current	10 A		5 A		
Max. switching voltage	440 VAC, 125 VDC	440 VAC, 125 VDC		380 VAC, 125 VDC	
Max. switching current	10 A		5 A		
Max. switching power	2,500 VA, 300 W	1,875 VA, 150 W	1,250 VA, 150 W	500 VA, 90 W	
Failure rate (reference value) *	100 mA at 5 VDC		10 mA at 5 VDC		

**Note:** P level:  $\lambda_{60} = 0.1 \times 10^{-6}$ /operation

<sup>\*</sup>This value was measured at a switching frequency of 120 operations per minute.

#### **Characteristics**

Item	1 pole	2 poles			
Contact configration	SPDT				
Contact structure	Single				
Contact resistance	100 mΩ max.				
Operate (set) time	15 ms max.				
Release (reset) time	AC: 10 ms max.; DC: 5 ms max. (w/built-in diode: 20 ms max.)	AC: 15 ms max.; DC: 10 ms max. (w/built-in diode: 20 ms max.)			
Max. operating frequency	Mechanical: 18,000 operations/hr Electrical: 1,800 operations/hr (under rated to	pad)			
Insulation resistance	1,000 MΩ min. (at 500 VDC)				
Dielectric strength *	5,000 VAC, 50/60 Hz for 1 min between coil and contacts; 1,000 VAC, 50/60 Hz for 1 min between contacts of same polarity	5,000 VAC, 50/60 Hz for 1 min between coil and contacts; 3,000 VAC, 50/60 Hz for 1 min between contacts of different polarity 1,000 VAC, 50/60 Hz for 1 min between contacts of same polarity			
Vibration resistance		10 to 55 to 10 Hz, 0.75 mm single amplitude (1.5 mm double amplitude) 10 to 55 to 10 Hz, 0.75 mm single amplitude (1.5 mm double amplitude)			
Shock resistance	Destruction: 1,000 m/s <sup>2</sup> Malfunction: 200 m/s <sup>2</sup> when energized; 100 m/s	1,000 m/s <sup>2</sup> 200 m/s <sup>2</sup> when energized; 100 m/s <sup>2</sup> when not energized			
Endurance	DC coil: 20,000,000 operations mi	AC coil: 10,000,000 operations min.; DC coil: 20,000,000 operations min. (at 18,000 operations/hr) 100,000 operations min. (at 1,800 operations/hr under rated load)			
Ambient temperature	Operating: -40°C to 70°C (with no icing or co	ndensation)			
Ambient humidity	Operating: 5% to 85%				
Weight	Approx. 20 g				

Note: Values in the above table are the initial values.

## **Approved Standards** UL 508 (File No. E41643)

Model	Contact form	Coil ratings	Contact ratings	Opera- tions
G2R-1-S (S)	SPDT		10 A, 30 VDC (resistive) 10 A, 250 VAC (general use)	100 × 10 <sup>3</sup>
,		5 to 110 VDC	TV-3 (NO contact only)	$25 \times 10^3$
G2R-2-S (S)	6 to 240 VAC S) DPDT			100 × 10 <sup>3</sup>
, ,			TV-3 (NO contact only)	$25 \times 10^3$

#### CSA 22.2 No.0, No.14 (File No. LR31928)

•		-		
Model	Contact form	Coil ratings	Contact ratings	Opera- tions
G2R-1-S (S)	SPDT		10 A, 30 VDC (resistive) 10 A, 250 VAC (general use)	100 × 10 <sup>3</sup>
, ,		0 10 110 100	TV-3 (NO contact only)	$25 \times 10^{3}$
G2R-2-S (S)	DPDT		5 A, 30 VDC (resistive) 5 A, 250 VAC (general use)	100 × 10 <sup>3</sup>
02.1 2 0 (0)			TV-3 (NO contact only)	$25 \times 10^{3}$

#### IEC/VDE (Certificate No. 40015012 EN 61810-1)

Contact form	Coil ratings	Contact ratings	Operations
1 pole	6, 12, 24, 48 VDC 24, 110, 120, 230, 240 VAC	5 A, 440 VAC (cosφ = 1.0) 10 A, 250 VAC (cosφ = 1.0) 10 A, 30 VDC (0 ms)	100 × 10 <sup>3</sup>
2 poles	6, 12, 24, 48 VDC 24, 110, 120, 230, 240 VAC	5 A, 250 VAC (cosφ =1.0) 5 A, 30 VDC (0 ms)	100 × 10 <sup>3</sup>


#### LR

Number of poles	Coil ratings	Contact ratings	Operations
1 pole	5 to 110 VDC 6 to 240 VDC	10 A, 250 VAC (general use) 7.5 A, 250 VAC (PF0.4) 10 A, 30 VDC (resistive) 5A, 30VDC (L/R=7ms)	100 × 10 <sup>3</sup>
2 poles	5 to 110 VDC 6 to 240 VDC	5 A, 250 VAC (general use) 2 A, 250 VAC (PF0.4) 5 A, 30 VDC (resistive) 3A, 30VDC (L/R=7ms)	100 × 10 <sup>3</sup>


<sup>\*</sup>These values are relay only. Prease refer to the "Products Related to Common Sockets and DIN Tracks Data Sheet" for connecting sockets.

## **Engineering Data**


#### **Maximum Switching Power**



#### **Endurance**



#### **Ambient Temperature vs Maximum Coil Voltage**




Dimensions (Unit: mm)

13 max.

Note: All units are in millimeters unless otherwise indicated.

#### **SPDT Relays**

G2R-1-S (S), G2R-1-SN (S), G2R-1-SNI (S) G2R-1-SD (S), G2R-1-SND (S), G2R-1-SNDI (S)





17.5

Terminal Arrangement/Internal Connections (Bottom View)


G2R-1-SN (S), G2R-1-SNI (S) (AC) G2R-1-SN (S), G2R-1-SNI (S) (DC)

G2R-1-S (S)






G2R-1-SND (S), G2R-1-SNDI (S) (DC)




#### **DPDT Relays**


G2R-2-S (S), G2R-2-SN (S), G2R-2-SNI (S) G2R-2-SD (S), G2R-2-SND (S), G2R-2-SNDI (S)




## Terminal Arrangement/Internal Connections (Bottom View)


G2R-2-S (S)






G2R-2-SN (S), G2R-2-SNI (S) (AC)





G2R-2-SND (S), G2R-2-SNDI (S) (DC)




# Accessories (Order Separately) Socket Characteristics

Model	Rated carry current	Dielectric strength	Insulation resistance*	Remarks
P2RF-05-PU	10 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1,000 MΩ min.	
P2RF-05-P0	10 A	Between coil and contact terminals: 4,000 VAC for 1 min	1,000 WISZ MIN.	
		Between contact terminals of different polarity: 3,000 VAC for 1 min		
P2RF-08-PU	6 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1,000 MΩ min.	
		Between coil and contact terminals: 4,000 VAC for 1 min		
D2DE7 05/ E)	10.4	Between contact terminals of same polarity: 1,000 VAC for 1 min	4 000 MO min	
P2RFZ-05(-E)	10 A	Between coil and contact terminals: 4,000 VAC for 1 min	1,000 MΩ min.	
		Between contact terminals of different polarity: 3,000 VAC for 1 min		
P2RFZ-08(-E)	6 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1,000 MΩ min.	
		Between coil and contact terminals: 4,000 VAC for 1 min		
DOD OFF	P2R-05P 10 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1.000 MΩ min.	
P2R-05P		Between coil and contact terminals: 4,000 VAC for 1 min	1,000 MΩ2 min.	
		Between contact terminals of different polarity: 3,000 VAC for 1 min		
P2R-08P	5 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1,000 MΩ min.	
		Between coil and contact terminals: 4,000 VAC for 1 min		
P2R-057P	10 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1,000 MΩ min.	
F2R-057F	10 A	Between coil and contact terminals: 5,000 VAC for 1 min	1,000 10152 111111.	
		Between contact terminals of different polarity: 3,000 VAC for 1 min		
P2R-087P	5 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1,000 M $\Omega$ min.	
		Between coil and contact terminals: 5,000 VAC for 1 min		
		Between contact terminals of same polarity: 1,000 VAC for 1 min		
P2R-05A	10 A	Between ground terminals: 1,500 VAC for 1 min	1,000 MΩ min.	
		Between coil and contact terminals: 4,000 VAC for 1 min		
		Between contact terminals of different polarity: 3,000 VAC for 1 min		
P2R-08A	5 A	Between contact terminals of same polarity: 1,000 VAC for 1 min	1 000 MO min	
rzk-uða	D A	Between ground terminals: 1,500 VAC for 1 min	1,000 MΩ min.	
		Between coil and contact terminals: 4,000 VAC for 1 min		


<sup>\*</sup> The insulation resistance was measured with a 500-VDC insulation resistance meter at the same places as those used for measuring the dielectric strength.

## Track/Surface Mounting Sockets P2RF-05-PU





Terminal Arrangement/ Internal Connection Diagram



- Note: 1. The numbers in parentheses are traditionally used terminal numbers.
  2. Insert the short bar into only
  - the A1 or A2 side.


    3. Contact terminal crossover will result in functionality only on the No. 11 terminal side. The insertion hole on the No. 14 terminal side is

a dummy hole for installing a short bar without bending the pins.


Note: Pull out the hooks to mount the Socket with screws.

#### P2RF-08-PU






Terminal Arrangement/
Internal Connection Diagram




- Note: 1. The numbers in parentheses are traditionally used terminal numbers.
  - 2. Insert the short bar into only the A1 or A2 side.

hooks to mount the Socket with screws.

# Accessories for P2RF-□-PU Short Bars PYDN-7.75-□□ (7.75 mm)



#### PYDN-15.5-080 (15.5 mm)



Application	Pitch	No. of poles	L (Length)	Colors	Model *	Maximum carry current
	For Contact terminals (common) 7.75 mm	2	15.1		PYDN-7.75-020□	
		3	22.85		PYDN-7.75-030□	
		1 •	4	30.6	Red (R) Blue (S)	PYDN-7.75-040□
		20	154.6	Yellow (Y)	PYDN-7.75-200□	
For Coil terminals	15.5 mm	8	115.85		PYDN-15.5-080□	

<sup>\*</sup>Replace the box ( ) in the model number with the code for the covering color.


Note: 1. Use the Short Bars for crossover wiring within one Socket or between Sockets.


When using short bar to coil terminals of PYF-□□-PU, make sure to use PYDN-31.0-080□ (31 mm).

When using short bar to coil terminals of P2RF- $\square$ -PU, make sure to use PYDN-15.5-080 $\square$  (15.5 mm).


#### P2RFZ-05-E








#### Terminal Arrangement/ Internal Connection Diagram (Top View)





Mounting Hole Dimensions




P2RFZ-08-E








Terminal Arrangement/ Internal Connection Diagram (Top View)




Mounting Hole Dimensions




**P2RFZ-05** 






Terminal Arrangement/ Internal Connection Diagram (Top View)




Mounting Hole Dimensions




**P2RFZ-08** 







Terminal Arrangement/ Internal Connection Diagram (Top View)




Mounting Hole Dimensions




#### Mounting Height of Relay with Track/Surface Mounting Sockets







#### **P2RFZ-05**



P2RFZ-08







<sup>\*</sup>These are values when using the DIN track PFP-□N.


Heights become higher by approximately 9 mm when using PFP-□N2.


#### **Back-connecting Sockets**


# P2R-05P (1-pole) Terminal Arrangement (Bottom View) Tolerance: ±0.1 Tolerance: ±0.1

36.5 max.


#### P2R-08P (2-pole)









#### Mounting Height of Relay with Back-connecting Sockets




#### **Mounting Tracks**




It is recommended to use a panel 1.6 to 2.0 mm thick.



#### **End Plate**




#### **Spacer**



#### **Mounting Plate**

#### P2R-P




#### **Safety Precautions**

Be sure to read the *Common Precautions for All Relay* in the website at the following URL: http://www.ia.omron.com/.

Refer to Products Related to Common Sockets and DIN Tracks for precautions on the applicable Sockets.

Refer to PYF- - PU/P2RF- - PU for precautions on Push-In Plus Terminal Block Sockets.

#### Warning Indications



#### 

- Do not use the test button for any purpose other than testing. Be sure not to touch the test button accidentally as this will turn the contacts ON. Before using the test button, confirm that circuits, the load, and any other connected item will operate safely.
- Check that the test button is released before turning ON relay circuits
- If the test button is pulled out too forcefully, it may bypass the momentary testing position and go straight into the locked position.
- Use an insulated tool when you operate the test button.

#### **Precautions for Correct Use**

#### **About the Built-in Diodes**

The diodes that are built into the Relays are designed to absorb reverse voltage from the Relay's coil. If a large surge in voltage is applied to the diode from an external source, the element will be destroyed.

If there is the possibility of large voltage surges that could be applied to the elements from an external source, take any necessary surge absorption measures.

#### **Latching Levers**

- Turn OFF the power supply when operating the latching lever.
   After you use the latching lever always return it to its original state.
- Do not use the latching lever as a switch.
- The latching lever can be used for 100 operations minimum.

#### **Relay Replacement**

To replace the Relay, turn OFF the power supply to the load and Relay coil sides to prevent unintended operation and possible electrical shock.

#### Coil tape color

Pink tape is used for the AC coil type and blue tape is used for the DC coil type, making it easy to distinguish AC and DC.

#### Screw terminal socket

• Use the following tightening torque for screws during wiring.

Model	Tightening torque
P2RFZ-05-E P2RFZ-08-E P2RF-05-E P2RF-08-E	0.59 to 0.88 N·m *Use a No. 1 screwdriver.

Use the following wire diameters as a guide for wiring.
 (Select the appropriate wire diameter for the current used.)

Model	Recommended wire diameter (mm²)		
P2RFZ-05-E P2RFZ-08-E P2RF-05-E P2RF-08-E	Stranded wire	0.75 to 2.5 mm <sup>2</sup> AWG 18 to 14	
	Solid wire	0.75 to 1.5 mm <sup>2</sup> AWG 18 to 16	

#### Using a short-circuit bar

- Use the short-circuit bar that is suitable for the socket you are using and the location of use.
- Note that the P2DN short-circuit bar for the P2RFZ-E Socket has both a short-circuit bar for shorting coil terminals and a short-circuit bar for shorting contact COM terminals.
- The short-circuit bar can be cut to match any number of poles. Cut with a tool as appropriate for the number of relays and sockets.
   When using a cut short-circuit bar, take care to avoid injuring yourself on the cut surface.
- When cutting with a tool, insert the tool from the plastic part and cut
  along the slot in the plastic part between terminals. If you cut a part
  other than the slot in the plastic part between terminals, it may not
  be possible to attach the insulating cap.



When using a cut short-circuit bar (P2DN), always use the provided cap to protect the charger part.



- Use the short-circuit bar to short-circuit two or more coil terminals, or two or more contact COM terminals.
- Do not use a deformed short-circuit bar. Risk of failure, malfunctioning, or deterioration of characteristics.
- In socket terminals, insert the short-circuit bar in the correct orientation all the way into all terminals, and then secure with screws.
- Install the short -circuit bar before wiring.

#### Common connection method when using a short bar

 When connecting the P2RF —-PU input common, insert the short bar into only the A1 or A2 side.

## **Equivalent Labels from Other Companies and Recommended Label Printers**

Use the following label printer.

The following table gives the manufacturer's model number as of March 2017.

Manufacturer	Manufacturer Omron		Weidmuller	Cembre
Label	XW5Z-P4.0LB1	UCT-TM6	MF 10/6	MG-CPM-04 41391
	XW5Z-P2.5LB2	UCT-TMF5		
Label printer	*	BLUEMARK CLED, THERMOMA RK CARD SET PLUS, THERMOMA RK CARD	PrintJet ADVCANCED, Plotter MCP Plus, Plotter MCP Basic	Markingenius MG3

<sup>\*</sup> When using a printing tool, use a Phoenix Contact label printer. **Note:** Ask the label manufacturer or printer manufacturer for details.

#### Terms and Conditions Agreement

#### Read and understand this catalog.

Please read and understand this catalog before purchasing the products. Please consult your OMRON representative if you have any questions or comments.

#### Warranties.

- (a) Exclusive Warranty. Omron's exclusive warranty is that the Products will be free from defects in materials and workmanship for a period of twelve months from the date of sale by Omron (or such other period expressed in writing by Omron). Omron disclaims all other warranties, express or implied.
- (b) Limitations. OMRON MAKES NO WARRANTY OR REPRESENTATION, EXPRESS OR IMPLIED, ABOUT NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OF THE PRODUCTS. BUYER ACKNOWLEDGES THAT IT ALONE HAS DETERMINED THAT THE

PRODUCTS WILL SUITABLY MEET THE REQUIREMENTS OF THEIR INTENDED USE.

Omron further disclaims all warranties and responsibility of any type for claims or expenses based on infringement by the Products or otherwise of any intellectual property right. (c) Buyer Remedy. Omron's sole obligation hereunder shall be, at Omron's election, to (i) replace (in the form originally shipped with Buyer responsible for labor charges for removal or replacement thereof) the non-complying Product, (ii) repair the non-complying Product, or (iii) repay or credit Buyer an amount equal to the purchase price of the non-complying Product; provided that in no event shall Omron be responsible for warranty, repair, indemnity or any other claims or expenses regarding the Products unless Omron's analysis confirms that the Products were properly handled, stored, installed and maintained and not subject to contamination, abuse, misuse or inappropriate modification. Return of any Products by Buyer must be approved in writing by Omron before shipment. Omron Companies shall not be liable for the suitability or unsuitability or the results from the use of Products in combination with any electrical or electronic components, circuits, system assemblies or any other materials or substances or environments. Any advice, recommendations or information given orally or in writing, are not to be construed as an amendment or addition to the above warranty.

See <a href="http://www.omron.com/global/">http://www.omron.com/global/</a> or contact your Omron representative for published information.

#### Limitation on Liability; Etc.

OMRON COMPANIES SHALL NOT BE LIABLE FOR SPECIAL, INDIRECT, INCIDENTAL, OR CONSEQUENTIAL DAMAGES, LOSS OF PROFITS OR PRODUCTION OR COMMERCIAL LOSS IN ANY WAY CONNECTED WITH THE PRODUCTS, WHETHER SUCH CLAIM IS BASED IN CONTRACT, WARRANTY, NEGLIGENCE OR STRICT LIABILITY.

Further, in no event shall liability of Omron Companies exceed the individual price of the Product on which liability is asserted.

#### Suitability of Use.

Omron Companies shall not be responsible for conformity with any standards, codes or regulations which apply to the combination of the Product in the Buyer's application or use of the Product. At Buyer's request, Omron will provide applicable third party certification documents identifying ratings and limitations of use which apply to the Product. This information by itself is not sufficient for a complete determination of the suitability of the Product in combination with the end product, machine, system, or other application or use. Buyer shall be solely responsible for determining appropriateness of the particular Product with respect to Buyer's application, product or system. Buyer shall take application responsibility in all cases.

NEVER USE THE PRODUCT FOR AN APPLICATION INVOLVING SERIOUS RISK TO LIFE OR PROPERTY OR IN LARGE QUANTITIES WITHOUT ENSURING THAT THE SYSTEM AS A WHOLE HAS BEEN DESIGNED TO ADDRESS THE RISKS, AND THAT THE OMRON PRODUCT(S) IS PROPERLY RATED AND INSTALLED FOR THE INTENDED USE WITHIN THE OVERALL EQUIPMENT OR SYSTEM.

#### Programmable Products.

Omron Companies shall not be responsible for the user's programming of a programmable Product, or any consequence thereof.

#### Performance Data.

Data presented in Omron Company websites, catalogs and other materials is provided as a guide for the user in determining suitability and does not constitute a warranty. It may represent the result of Omron's test conditions, and the user must correlate it to actual application requirements. Actual performance is subject to the Omron's Warranty and Limitations of Liability.

#### Change in Specifications.

Product specifications and accessories may be changed at any time based on improvements and other reasons. It is our practice to change part numbers when published ratings or features are changed, or when significant construction changes are made. However, some specifications of the Product may be changed without any notice. When in doubt, special part numbers may be assigned to fix or establish key specifications for your application. Please consult with your Omron's representative at any time to confirm actual specifications of purchased Product.

Errors and Omissions. Information presented by Omron Companies has been checked and is believed to be accurate; however, no responsibility is assumed for clerical, typographical or proofreading errors or omissions.

2023.4

In the interest of product improvement, specifications are subject to change without notice.

#### OMRON Corporation **Industrial Automation Company**