


**Rittal – The System.**

Faster – better – everywhere.



**SZ 2514.500**

**Plastic Wiring Plan Pocket**

State: 2/13/2025 (Source: [rittal.com/us-en](http://rittal.com/us-en))

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# SZ 2514.500 - Plastic Wiring Plan Pocket for AE/WM

Affixed to the perforated door strip and/or the door.



## Features

|                           |  |
|---------------------------|--|
| Model No.                 | SZ 2514.500  |
| Version                   | Door width from 500 mm   |
| Benefits                  | The acrylic glazed pane may be shortened to any required size for shorter doors  |
| Supply includes           | 2 holders with double-sided adhesive tape<br>Acrylic glazed pane<br>Fasteners  |
| Height acrylic glass pane | 167 mm<br>6.57 "   |
| Usable depth              | 18 mm<br>0.71 "  |
| Usable width              | 340 mm<br>13.4 "   |
| Installation options      | Screw-fastened to the perforated door strip on both sides<br>Screw-fastened on one side, other side stuck with adhesive or stuck entirely with adhesive. |
| Suitable for              | Height: $\geq 500$ mm<br>Height: $\geq 19.7$ "   |
| Packaging unit            | 1 pc(s).   |
| Net weight                | 0.44   |
| Gross weight              | 0.519  |

# Features

---

|                       |               |
|-----------------------|---------------|
| Customs tariff number | 39269097      |
| EAN                   | 4028177323780 |
| ECLASS 8.0            | 27189267      |

---