

round head for pushbutton - spring return - XAC-A - yellow - booted

XACA9415

Discontinued on: Nov 1, 2020

! Discontinued

Main

Range Of Product	Harmony XAC
Product Or Component Type	Head for push-button
Component Name	XACA

Complementary

Marking	Unmarked
Operator Additional Information	Booted
Cap/Operator Or Lens Colour	Yellow
Product Compatibility	XACA
Mounting Location	Front of enclosure
Sale Per Indivisible Quantity	10
Standards	IEC 60947-5-1 UL 508 IEC 60204-32 CSA C22.2 No 14
Ambient Air Temperature For Operation	-2570 °C
Ambient Air Temperature For Storage	-4070 °C
Vibration Resistance	15 gn (f= 10500 Hz) conforming to IEC 60068-2-6
Shock Resistance	100 gn conforming to IEC 60068-2-27
Overvoltage Category	Class II conforming to IEC 61140
Ip Degree Of Protection	IP65 conforming to IEC 60529
Ik Degree Of Protection	IK08 conforming to IEC 62262
Net Weight	0.01 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	3.000 cm
Package 1 Length	3.000 cm
Package 1 Weight	0.900 g
Unit Type Of Package 2	BB1

List Price displayed is VAT EXCLUSIVE.

Number Of Units In Package 2 10 Package 2 Height 4.000 cm Package 2 Width 9.000 cm Package 2 Length 10.000 cm Package 2 Weight 96.000 g Unit Type Of Package 3 S02 Number Of Units In Package 3 250 Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm Package 3 Weight 2.753 kg		
Package 2 Width 9.000 cm Package 2 Length 10.000 cm Package 2 Weight 96.000 g Unit Type Of Package 3 S02 Number Of Units In Package 3 250 Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Number Of Units In Package 2	10
Package 2 Length 10.000 cm Package 2 Weight 96.000 g Unit Type Of Package 3 S02 Number Of Units In Package 3 250 Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Package 2 Height	4.000 cm
Package 2 Weight 96.000 g Unit Type Of Package 3 S02 Number Of Units In Package 3 250 Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Package 2 Width	9.000 cm
Unit Type Of Package 3 S02 Number Of Units In Package 3 250 Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Package 2 Length	10.000 cm
Number Of Units In Package 3 250 Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Package 2 Weight	96.000 g
Package 3 Height 15.000 cm Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Unit Type Of Package 3	S02
Package 3 Width 30.000 cm Package 3 Length 40.000 cm	Number Of Units In Package 3	250
Package 3 Length 40.000 cm	Package 3 Height	15.000 cm
	Package 3 Width	30.000 cm
Package 3 Weight 2.753 kg	Package 3 Length	40.000 cm
	Package 3 Weight	2.753 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Circularity Profile	No need of specific recycling operations