

# Product data sheet

Specifications



## Limit switch head, Limit switches XC Standard, ZCKE, without lever left and right actuation

ZCKE05

### Main

|                           |   |
|---------------------------|---|
| Range of produc           | Telemecanique Limit switches XC Standard  |
| Series name               | Standard format   |
| Product or component type | Limit switch head   |
| Device short name         | ZCKE  |
| Head type                 | Rotary head   |
| Product compatibility     | XCKJ  |
| Associated lever          | ZCKY91<br>ZCKY52<br>ZCKY53<br>ZCKY11<br>ZCKY13<br>ZCKY43<br>ZCKY51<br>ZCKY14<br>ZCKY81<br>ZCKY41<br>ZCKY59  |
| Associated body           | ZCKJD37H7<br>ZCKJ5H29<br>ZCKJ8H7<br>ZCKJ1H29<br>ZCKJ8<br>ZCKJ7<br>ZCKJ41<br>ZCKJ6H29<br>ZCKJ11H29<br>ZCKJ41H29<br>ZCKJ11H7<br>ZCKJD35H7<br>ZCKJD31H7<br>ZCKJ9H29<br>ZCKJD31H29<br>ZCKJ21<br>ZCKJD39H7<br>ZCKJ9H7<br>ZCKJ4H29<br>ZCKJD35H29<br>ZCKJ6<br>ZCKJ11<br>ZCKJ5<br>ZCKJ7H29<br>ZCKJ1H7<br>ZCKJ7H7<br>ZCKJ9<br>ZCKJ8H29<br>ZCKJ6H7<br>ZCKJ4104H29<br>ZCKJD31<br>ZCKJ4104H7<br>ZCKJ5H7<br>ZCKJ2H7<br>ZCKJ404H29<br>ZCKJD37H29<br>ZCKJ4 |

|  |   |
|--|---|
|  | ZCKJ21H7<br>ZCKJ1<br>ZCKJ2H29<br>ZCKJD39H29<br>ZCKJD37<br>ZCKJ2<br>ZCKJD35<br>ZCKJ41H7<br>ZCKJ404<br>ZCKJD39<br>ZCKJ4104<br>ZCKJ21H29<br>ZCKJ4H7<br>ZCKJ404H7 |
|--|---|

|                            |   |
|----------------------------|---|
| Movement of operating head | Rotary  |
| Type of operator           | Without operating lever spring return           |
| Type of approach           | Lateral approach, 1 or 2 programmable direction |

### Complementary

|                  |   |
|------------------|---|
| Switch actuation | From left and/or right<br>CW and/or CCW |
| Positive opening | With                                    |
| Head material    | Metal                                   |

### Environment

|                                       |                      |
|---------------------------------------|----------------------|
| Ambient air temperature for operation | -25...70 °C          |
| Ambient air temperature for storage   | -40...70 °C          |
| Environmental characteristic          | Standard environment |

### Packing Units

|                              |            |
|------------------------------|------------|
| Unit Type of Package 1       | PCE        |
| Number of Units in Package 1 | 1          |
| Package 1 Height             | 4.200 cm   |
| Package 1 Width              | 4.600 cm   |
| Package 1 Length             | 8.700 cm   |
| Package 1 Weight             | 168.000 g  |
| Unit Type of Package 2       | S01        |
| Number of Units in Package 2 | 27         |
| Package 2 Height             | 15.000 cm  |
| Package 2 Width              | 15.000 cm  |
| Package 2 Length             | 40.000 cm  |
| Package 2 Weight             | 4.794 kg   |
| Unit Type of Package 3       | P06        |
| Number of Units in Package 3 | 864        |
| Package 3 Height             | 75.000 cm  |
| Package 3 Width              | 60.000 cm  |
| Package 3 Length             | 80.000 cm  |
| Package 3 Weight             | 160.852 kg |

### Offer Sustainability

|                          |                       |
|--------------------------|-----------------------|
| Sustainable offer status | Green Premium product |
|--------------------------|-----------------------|

|                            |   |
|----------------------------|---|
| REACH Regulation           | <a href="#">REACH Declaration</a>   |
| EU RoHS Directive          | Pro-active compliance (Product out of EU RoHS legal scope)  |
| RoHS exemption information | <a href="#">Yes</a>   |
| Environmental Disclosure   | <a href="#">Product Environmental Profile</a>   |
| Circularity Profile        | No need of specific recycling operations  |
| California proposition 65  | WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |

### Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

### Recommended replacement(s)